



产品认证证书

证书编号：CQC19001233826

申请人名称及地址

小耳朵（广东）电子科技股份有限公司
惠州仲恺高新区沥林镇山陂村康林大道1号（综合楼）、（厂房A）

制造商名称及地址

小耳朵（广东）电子科技股份有限公司
惠州仲恺高新区沥林镇山陂村康林大道1号（综合楼）、（厂房A）

生产企业名称及地址

小耳朵（广东）电子科技股份有限公司(V037572)
广东省惠州市仲恺高新区沥林镇山陂村康林大道1号（综合楼）一至二楼、（厂房A）二至四楼

产品名称和系列、规格、型号

电源适配器

见附件（仅适用于海拔5000米及以下，仅适用于非热带气候条件）

产品标准和技术要求

GB4943.1-2011

认证模式

产品型式试验+获证后监督

上述产品符合 CQC12-045670-2015 认证规则的要求，特发此证。

发证日期：2019年12月09日

本证书的有效性依据发证机构的定期监督获得保持。

主任：_____

陆楠



中国质量认证中心

中国·北京·南四环西路188号9区100070

<http://www.cqc.com.cn>

C 0160535



PRODUCT CERTIFICATE

CERTIFICATE NO.: CQC19001233826

NAME AND ADDRESS OF THE APPLICANT

Guangdong Steady Technology Co., Ltd.
(Office Building),(Plant A),Chengxinxing Industrial Park,NO.1,Kanglin Avenue,Shanpi Village,Lilin
Town,Zhongkai Hi-Tech Zone,Huizhou City.

NAME AND ADDRESS OF THE MANUFACTURER

Guangdong Steady Technology Co., Ltd.
(Office Building),(Plant A),Chengxinxing Industrial Park,NO.1,Kanglin Avenue,Shanpi Village,Lilin
Town,Zhongkai Hi-Tech Zone,Huizhou City.

NAME AND ADDRESS OF THE FACTORY

Guangdong Steady Technology Co., Ltd. (V037572)
(Office Building)F1-F2,(Plant A)F2-F4,Chengxinxing Industrial Park,NO.1,Kanglin Avenue,Shanpi
Village,Lilin Town,Zhongkai Hi-Tech Zone,Huizhou City.

PRODUCT NAME, MODEL AND SPECIFICATION

Power Adapter
See appendix (Altitude up to 5000m, Non-tropical climate)

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB4943.1-2011

TYPE OF CERTIFICATION SCHEMES

Type Testing of Product + Follow up Factory Inspection

This is to certify that the above mentioned product(s) complies with the requirements of certification
rules of CQC12-045670-2015 .

Valid from: Dec.09,2019

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing
certification body.

President: _____

Lu Mei



CHINA QUALITY CERTIFICATION CENTRE

Section 9, No.188, Nansihuan Xilu, Beijing 100070 P.R.China
<http://www.cqc.com.cn>

C 0160535



产品认证证书

附 录

第 1 页 共 1 页

证书编号：CQC19001233826

纸 号：160535

ZZZ-K2L-J(其中：ZZZ=STD、HMQ、DED，表示不同品牌；K 或 L=A-Z，表示客
户代码；J=A-Z，表示销售目的)

规格：输入：200-240VAC 0.3A 50/60Hz

输出：12VDC 2A（最大电流）12VDC 1.5A（额定电流）

注：此附录与证书同时使用时有效。

主任：_____

陆梅



中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>